


ELEVATION 1/8-1-0

PROPOSED 4x5 SLIDG ALUM WINDOW

PROPOSED 3'x6'2" DOOR & 6'2" x 5'2" WINDOW IN GARAGE AREA



NOTE: NOT TO BE USED AS LIVING AREA

PROPOSED 3'x6'2" SOLID CORE DOOR

PROPOSED 6'2" x 5'2" SLIDG ALUM WINDOW


FLOOR PLAN 1/8-1-0

VERTICAL FRAMING - 5/8" GRADE OR BETTER
HORIZONTAL FRAMING - #2 D.F. (W.C.) OR BETTER

STUDS ALL CONSTRUCTION 2x4 @ 16" O/C

NOTE 4x4 LEADER ABOVE DOOR
4x6 LEADER ABOVE WINDOW
REQUIRED

NOTE IF DIAGONAL BRACE IS CUT A SHEAR PANEL SHALL BE INSTALLED PER UNIFORM BUILDING CODE



ELEVATION 1/8-1-0

PROPOSED 4x5 WINDOW IN GARAGE AREA

GENERAL NOTES

- 1 DIMENSIONS HAVE PREFERENCE OVER SCALE
- 2 CONTRACTOR SHALL VERIFY ALL DIMENSIONS AND CONDITIONS AT EACH JOB SITE
- 3 WHERE NEW CONSTRUCTION ADJUTS EXISTING, ALL PATCHES SHALL MATCH EXISTING IN TEXTURE & COLOR
- 4 ALL PHASES OF CONSTRUCTION SHALL COMPLY W/ THE CURRENT ED OF THE U.B.C. AND/OR STATE & LOCAL CODES
- 5 CONTRACTOR SHALL SECURE AND PAY FOR ALL PERMITS REQUIRED BY PERM & THE ORANGE COUNTY DEPT OF BUILDING AND SAFETY
- 6 UPON COMPLETION CONTRACTOR SHALL REMOVE ALL DEBRIS AND EXCESS MATERIAL AND LEAVE ALL AREAS OF WORK BROOM CLEAN

SHEAR PANEL

PLYWOOD SHEATHING 5/16 x 4x8 MINIMUM

NAILING SCHEDULE

8d COMMON 6 O/C @ REGULAR 12" O/C @ INTERMEDIATE SUPPORTS

LAG FLORRA (42) MALIBU (P-42) VILLA FUENTE
GARAGE DOOR & (RP-42)
WINDOW

LEISURE WORLD (70-388)
STANDARD PLAN
NUMBER 120 **120**

PROFESSIONAL COMMUNITY MGT. INC.
APPROVED *Jerry White*

PCM INC.
POB 2220

380-4515
LAGUNA HILLS

FEB 1973
REV 3-31-82

RFW
SW